



Tianjin Jinglufa Amusement Equipment Co.,Ltd.

Company Headquarters: No. 18, Xirun Street, Xinhong Industrial Zone, Xihongmen, Daxing District, Beijing

Company Address: No. 65 Tongwang Road, Fuxing Industrial Zone, Wangqingtun, Wuqing District, Tianjin

Tianjin Jinglufa Amusement Equipment Co.,Ltd



company profile

>> Tianjin Jinglufa Tent Industry & Trade Co., Ltd. was established in 2000 with a registered capital of 20 million. It has two production areas and four subsidiaries in Beijing and Tianjin. The company's main products are high-end tents, water recreation facilities, large inflatable tents, construction tents, etc. It is the first domestic brand integrating design, production, processing, sales and after-sales service. The company covers an area of 35,000 square meters and has more than 300 employees.

>> Based on the tenet of "customer first, service first", Jinglufa uses the world's leading tent production concept and decades of production experience, and the tent is sold domestically. The company has the latest technology in the tent industry, passed the ISO9001:2008 international quality system certification, and in strict accordance with national safety standards, the use of high-strength aluminum alloy brackets and fire-retardant PVC tarpaulin, to create a safe and reliable series of tents. The structure of the tent is designed by unit combination, which has the characteristics of beautiful appearance, safety and stability, convenient disassembly and assembly, and small transportation volume. The span ranges from 3 meters to 60 meters, and the shape is shaped like a herringbone, a pointed shape, a round arch and a polygon.

>> For more than ten years, Jinglu has won high praise from customers for its high quality, high efficiency, safety, flexibility and diversified services. It always puts the consumer rights first, and the Jinglufa tent provides on-site installation services, lifetime free maintenance service, giving customers a safe, efficient and worry-free experience. Whatever your needs, Jinglufa always provides the perfect temporary space solution for your outdoor activities.

Market-oriented mechanism, the habit of quick decision making
Won the market space and take the lead in the industry



Partner:



XINFANGSHENG HARDWARE



S.F. EXPRESS



SANYUAN DAIRY



SHENGMU GAOKE



GUANGYAN GROUP



XINFANGSHENG HARDWARE



S.F. EXPRESS



SANYUAN DAIRY



SHENGMU GAOKE



GUANGYAN GROUP



BAosteel GROUP



DONGCHANG HUAQIANG



JINTAI GROUP



CHINA RESOURCES GROUP



CHENGDE KOWLOON



CHINA PETROLEUM



UN



BEIJING CIVIL AFFAIRS BUREAU BEIJING OLYMPICS



CHINA RAILWAY CONSTRUCTION



中国铁建



Chairman of Jinglufa



After-sales department



Production department



Technical department



Network department



sales department



Industry model company

Excellent quality,
excellent key recommendation products


Advanced enterprise



Consumer satisfaction brand



Export-pass member company

China Quality Integrity Service
AAA UnitRegistered capital
increased by 20 millionTrademark registration
certificateSafety production standardization
three-level enterpriseQuality Management
System Certificate

Instinct is a must, step by step, occupying 80% of China's market.
It is the largest tent enterprise in North China and has been well received by consumers all over the country.

The honor of the company only represents the past achievements of the company, and the future honor is the pursuit of our Jinglu.
Always set a benchmark and always motivate yourself!
Struggle for the tomorrow of Beijing Road!



Tent authoritative
expert
Industry first for 15
consecutive years



Jinglufa tent one-stop butler service



table of Contents



Company Profile	P 01-02
Team honor	P 01-02
Tent application	P 01-02
Product Category	P 01-02
European-style high peak tent	P 01-02
American high peak tent	P 01-02
Event tent	P 01-02
Warehouse tent	P 01-02
Dome tent	P 01-02
Spllicable tent	P 01-02
Polygon tent	P 01-02
Hangar tent	P 01-02
Curved column tent	P 01-02
Team honor	P 01-02
Tent application	P 01-02
Product Category	P 01-02
success case	P 01-02
Accessory facility	P 01-02

>>High quality fabric

The Tianjin Road awning room cloth is 850g/m², the thickness is 0.65mm, and 100% opaque. Add light-shielding coating, double-sided thickened acrylic surface treatment, self-cleaning mildew treatment (acrylic coating), anti-aging and anti-UV properties.

The tarpaulin has no fading after 4000 hours of xenon illumination, good softness, anti-ultraviolet, anti-aging, uniform coating, mildew, discoloration, and good self-cleaning performance. The tarpaulin will not change color or fade within 5 years. Meets German standard DIN4102 B1, M2, CFM/NFPA 701 fire protection standards. Has good flame retardant properties.

PVC knife scraping coated tarpaulin



>>Using high quality aluminum materials

The improvement of the tents of Jinglu Road is made of aluminum alloy profiles, which reduce the weight of the inclined beams under the condition of ensuring the strength. Not only the appearance is beautiful, but the aluminum alloy insert never rusts, and the degree of cooperation is very precise. High strength aluminum alloys have good tensile strength.

The hardness determines the service life of the aluminum alloy and affects the strength and stability of the tent structure. The wind-proof capacity of the tent is 100km/hr. It is calculated based on the aluminum of this hardness. The thickness of the oxide film determines the appearance of the aluminum and the surface corrosion resistance. Jinglufa provides aluminum in strict accordance with the standard film thickness $\geq 10\mu\text{m}$ - $15\mu\text{m}$ to ensure the service life of

>>Certification related certificate

Iso900: 2008 international quality system certification.

>>details decide the quality

Can your tent print a logo? (triangle cloth and vertical edge)

Yes, we can customize silk screen or inkjet logos and patterns according to your requirements, and charge the cost according to the complexity of the pattern.



Are your tents selling directly?

Yes, we assure you that all prices are based on ex-factory prices and no brokers make a profit.



Can your tent be rented?

Yes, we have 500,000 m² tents of various specifications for rent. Please consult the tent rental resources available to the salesman.



Can your tent be built over and over again? How long can it be used?

Our tents are easy to set up, disassemble and transport and can be used repeatedly. The tents are sold well in overseas and domestic markets. Under normal circumstances, the time can be 5-8, and the brackets can be as long as 15-20 years, depending on the degree of use.

Are you purchasing your products, materials and certificates?

Provide you with a full set of delivery materials, complete structural drawings, packing lists, installation manuals, and related certificates, and provide one-stop service according to your requirements.





>> Exhibition tent



Span size

20m、30m、40m
50m、55m、60m

Side height

4m、5m、6m

At the same time, the exhibition tents have the charm of the indoor pavilion while completing the functions of the pavilion: to achieve new themes for customers at any time, and to make flexible and quick solutions to any space that needs to be adjusted. In addition, the special tent structure built by the supporting facilities makes the exhibition tent more humane, greatly enhances your display activities and attention, and perfectly reflects the fashion and meticulousness of the exhibition organizers. Rigorous brand image.



>> Activity tent



Span size

10m、12m、15m
16m、18m

Side height

4m

With its diverse and varied characteristics, Jinglufa has created a unique and fashionable atmosphere for various commercial exhibitions, product launches and promotions, and advertising. Our professional, fast, accurate, reliable and personalized service makes your event enjoy value and protection.



>> Industrial tent



Span size


10m、12m、25m
30m、40m、50m
60m

Side height

4m、5m、6m

The industrial tent side wall can be sandwiched with steel plate wall, which is modular in structure and can extend infinitely in length. Container trucks, forklifts and other machinery can easily enter and exit the warehouse tent from the electric shutter. The tarpaulin is made of flame-retardant double-sided PVC synthetic fiber cloth, which conforms to the European DIN4102 B1, M2 standard. It weighs 650-850 g/m² and is available in both shade and semi-transparent, and is resistant to wind, water, UV and flame retardant. The construction and disassembly cycle is short, the tarpaulin can be folded, and the frame is small after disassembly, which is convenient for transportation and storage.

>> Product Series




Ceiling tent 3-6 meters wide > P 17



Large tent 10-60 meters wide > P 37



TFS curve tent 15-40 meters wide > P 41

European style pagoda tent
3-10 meters wide > P 19American pagoda tent
3-6 meters wide > P 21

Double tent 6-15 meters wide > P 45

Combination tent
6-10 meters wide > P 47

Mini tent 3-8 meters wide > P 23




New party tent 3-12 meters wide > P 25



New holiday tent 6-15 meters wide > P 27




Polygonal tent 6-30 meters wide > P 51

Multi-arched tent
10-60 meters wide > P 57


Sports tent 10 meters wide > P 59



Activity tent 8-18 meters wide > P 29



Warehouse tent 5-30 meters wide > P 31



Mini curved tent 3-8 meters wide > P 35



Hangar tent 20 meters wide > P 61



Parking canopy 5-5 meters wide > P 63

Military relief tent
3-60 meters wide > P 65

>> Ceiling tent

Ceiling tent sizes are: 3x3m, 4x4m, 5x5m and 6x6m, the standard side height is 2.5m, and the brackets and connecting parts are all made of aluminum alloy. The tarpaulin is fastened by means of cords and plastic buckles, and the tarpaulin is quick and easy to install. Ceiling tents to buy accessories: PVC transparent window side wall cloth, ceiling interior, load-bearing tray, drainage trough, digital inkjet advertising. Ceiling tents can be used not only alone, but also can be connected by a gutter to form a larger area for a more beautiful look.




>> Features

- More suitable for gardens, parks, villas
Display with small or small brands
- Small size, convenient transportation and
easy installation
- Brackets and connectors are all aluminum
alloy Material, never rust
- Safe and stable, performance is stronger
than folding tents
- In addition to the separate use, you can
also use the drainage channel Connected
to create a more beautiful look



>> Optional accessories



Model : DDPF-01	Span	Side height	Top height	Main pipe diameter dimension
	3m/4m 5m/6m	2.5m	3.88m/4.28m 4.7m/5.1m	48x84x2.7mm

>> European pagoda tent

The spires are available in 3x3m, 4x4m, 5x5m, and 6x6m with a side height of 2.5m and are supported by three-slot 65x65x2.5mm aluminum tubing. The 8x8m and 10x10m spires have a standard side height of 2.6m and are supported by four-slot 122x68x3mm aluminum tubing with a wind speed of 80 km/h (wind load 0.3 kN/m²). The awning tents are available in a variety of configurations: glass walls, glass doors, wood floors, floor rivets and ceilings. In addition to being used alone, the spire can also be connected to a larger area by a drainage channel to create a unique shape that is more exciting in outdoor activities.



>> Features

- Sturdy, elegant, trendy
- Short construction period, easy to assemble and disassemble
- Created a new tipping tent fixing method, which not only greatly reduces the assembly time, but also prevents slipping out
- No major mechanical assistance required

Individuals can also be connected by drain channels to form a more Large area to form a unique shape



>> Optional accessories



Model : OSJDPF-01	Span	Side height	Top height	Main pipe diameter dimension
	3m/4m 5m/10m	2.5m(for 3-6m) 2.6m(for 8m/10m)	4.3m/4.8m/ 5.43m/6.38m	48x84x2.7mm

Model : OSJDPF-02	Span	Side height	Top height	Main pipe diameter dimension
	3m/4m/5m, 6m/8m/10m	2.5m(for 3-6m) 2.6m(for 8m/10m)	4.3m/4.8m/ 5.43m/5.92m/ 5.36m/6.38m	48x84x2.7mm

>> American spire tent

The American spires are 33m, 44m, 55m and 66m in height and 2.5m in height. They are made of three-slot 65652.5 alloy pipe and have a wind speed of 80 km/h (wind load 0.3 kN/m²). The fabric is made of 850 grams of heavy-shield PVC fabric, and the apex is fixed to the four columns with a buckle lock. In addition to being used alone, it can be connected to a larger area with a gutter to create a unique shape that is more exciting in outdoor activities. American-style awning tents are easier to load and unload than European-style spires, with fewer components and easier storage. Two people can complete the entire tent installation in less than 10 minutes. In terms of structure, unlike the traditional European-style pointed roof tent, the internal structure is greatly simplified, and only two steel wire ropes and a central strut are used to support the roof. The appearance is elegant, the safety and stability are better than the folding tent, and it is very suitable for various outdoor activities.




>> Features

- Easier to assemble and disassemble than traditional steeple tents
- Small parts, small size, easy to store
- No major mechanical assistance required
- High quality hot galvanized insert
- Beautiful and elegant, safe and stable than folding tents
- Single use can also be connected by drain groove Large area to form a special shape



>> Optional accessories



Model : MSJDPF-01	Span	Side height	Top height	Main pipe diameter dimension
	3m/4m/ 5m/6m	2.5m	3.98m/4.58m/ 5m/5.43m	48x84x2.7mm

>> Mini tent

The mini party tent is another innovation of Jinglu Road in a small span tent. The span size of the tent is 3m, 4m, 5m, 6m, 8m, the side height of the tent is 2.6m, the span is 3m, and the length direction can be increased by 3m, which can be extended indefinitely. The main section of the tent is 71x36x2.5mm, and the canopy is fixed by a tensioning rod. After the product is improved, the appearance of the tarpaulin top is more neat and tidy. At the same time, the tarpaulin top is better combined with the bracket and is more firm.




>> Features

- Short construction period, easy to assemble and disassemble
- Can be used as a temporary or permanent building
- Tension bar tarpaulin fixing system
- Easy to assemble and disassemble without forklifts and cranes
- Widely used in a variety of summer camp activities Trade show
- Various accessories are available



>> Optional accessories



Model : MNPF-01	Span	Side height	Top height	Main pipe diameter dimension
	3m/4m/5m, 6m/8m	2.6m	3.2m/3.4m/ 3.6m/3.8m/ 4.2m/	48x84x2.7mm

>>New party tent

Jinglufa provides new party rental rental, sales and customization. 1. The fixing method is fixed by the tensioning rod. 2. The hanging method of the side wall cloth is directly suspended on the canopy beam. As a result, the resistance and wind tightness of the new party tents have been significantly improved. The conventional width of this series is 3 meters, 4 meters, 5 meters 6 meters, 8 meters, 9 meters, 10 meters and 12 meters. The side height is 2.6 meters and the length spacing is 3 meters. The main components of the bracket (column and inclined beam) are constructed with four-slot 100x48x3mm high-strength aluminum alloy profiles. There are also a variety of configurations such as floor, glass wall, ABS wall, and glass door to meet various functional needs.



>>Features



Short construction period, easy to assemble and disassemble

Can be used as a temporary or permanent building


No forklift or crane assembly required

Choice of accessories

Excellent resistance to wind and air



>>Optional accessories



Model : PDPF-01	Span	Side height	Top height	Main pipe diameter dimension
	5m/6m/8m 9m/10m	2.6m	3.52m/3.71m/ 4.05m/4.24m/ 4.4m/	48x84x2.7mm

Model : PDPF-02	Span	Side height	Top height	Main pipe diameter dimension
	3m/4m/5m, 6m/8m/9m 10m/12m	2.6m	3.16m/3.35m/ 3.52m/3.71m/ 4.05m/4.24m/ 4.4m/4.76m	48x84x2.7mm

>> Holiday tent

The conventional width is 5 common sizes of 6 meters, 9 meters, 10 meters, 12 meters, and 15 meters. The height of the canopy is 2.6 meters. The structure of the tent is designed by unit combination, and the length is increased or decreased by 3 meters. The main components of the bracket are made of four-slot 122x68x3mm four-slot high-strength oxidized aluminum alloy pipe. The tarpaulin is made of flame-retardant double-sided PVC synthetic fiber cloth, which conforms to European SIN4102B1 and M2 standards.



>> Features

Short construction period, easy to assemble and disassemble

Can be used as a temporary or permanent building


No forklift or crane assembly required

Choice of accessories

Excellent resistance to wind and air



>> Optional accessories



Model : JRPF-01	Span	Side height	Top height	Main pipe diameter dimension
	6m/9m/10m, 12m/15m	3m	4.07m/4.6m/ 4.75m/5.13m/ 5.6m/	48x84x2.7mm 122x68x3.0mm

>> Activity tent

Jinglufa provides new party rental rental, sales and customization. The movable tent has a total of 6 common sizes of 8 meters, 10 meters, 12 meters, 15 meters, 16 meters and 18 meters. The side height is 3.3 meters, the structure of the tent is modular, and the length can be increased or decreased by 5 meters. The main components of the bracket (pillars and diagonal beams) are constructed of four-slot 152x119x4mm high-strength aluminum alloy profiles. There are also a variety of configurations such as floor, glass wall, ABS wall, and glass door to meet various functional needs. The tarpaulin is made of flame-retardant double-sided PVC synthetic fiber cloth, which conforms to European SIN4102B1 and M2 standards. The weight is 850 g / square meter, and there are two kinds of tarpaulin choices: blackout and semi-shading.



>> Features



Modular construction, short construction period, easy assembly and disassembly

Hot-dip galvanized steel joints, parts Interchangeable

Various sizes to meet different event needs



>> Optional accessories



Model : HDPF-01	Span	Side height	Top height	Main pipe diameter dimension
	8m/10m/12m 16m/18m/	4m	5.23m/5.55m/ 5.86m/6.32m/ 6.42m/6.71m	112x68x3.0mm 150x108x3.5mm 152x119x4mm

Model : HDPF-02	Span	Side height	Top height	Main pipe diameter dimension
	8m/10m/12m/ 15m/16m/18m/	3.3m	4.53m/4.85m/ 5.16m/5.62m/ 5.72m/6.01m	112x68x3.0mm 150x108x3.5mm 152x119x4mm

>> Warehouse tent

Jinglufa provides warehouse tents (rental/sales/tailor-made), whether you need permanent industrial application buildings or temporary buildings as your business grows, Jinglufa can provide you with the ideal solution. The convenience of our warehouse tents provides a flexible space for the company's off-season and flexible distribution of the site, avoiding the need for increased site leasing and off-site turnover due to production needs. The tent is far more economical and flexible than traditional steel structures and does not require a land permit. Maintenance is both simple and less costly due to less basic requirements and lower costs. The modular design of the warehouse tent building provides a good foundation for the integration of the warehouse tent.



>> Features

Modular design, unlimited length, can be customized

Advanced design, easy access to trucks and forklifts

Completely equipped with lighting, lighting and drainage. Lightning protection, collision avoidance system

The tent construction period is short, it can be repeatedly disassembled and assembled, and the transportation is convenient.


Widely used, can be used as temporary warehouse, temporary workshop, temporary factory building, temporary office, etc.



>> Warehouse tent



>> Optional accessories



Model : CKPF-01	Span	Side height	Top height	Main pipe diameter dimension
	5m/7.5m/ 10m/12m	4.2m	5.05m/5.46m/ 5.84m/6.16m	112x68x3.0mm

Model : CKPF-03	Span	Side height	Top height	Main pipe diameter dimension
	20m/25m	5.2m	8.4m/9.2m	300x120x5mm

Model : CKPF-02	Span	Side height	Top height	Main pipe diameter dimension
	10m/15m/ 20m	5.2m	6.8m/7.6m/ 8.4m	112x203x4.0mm

Model : CKPF-04	Span	Side height	Top height	Main pipe diameter dimension
	30m	5.2m	10m	350x120x5mm

>> Mini cambered tent

The span size of mini arc roof is 3m, 4m, 5m, 6m, 8m. The edge height of the roof is 2.6m. With advanced arch design, safe and stable, and resistance to wind speed up to 80km/h, the main pipe section of the awning room has a size of 71x36x5mm. It is widely used in awning walkway and large awning room entrance awning.



>> Product features



- Short construction period, easy to assemble and disassemble
- Fine round curved cloth top
- It can be used as corridor channel
- No forklift and crane installation required
- Optional complete set of accessories




>> Optional accessories



Type: MNPFHD-01	span width	eave height	ridge height	main frame size
	3m/4m	3m	3m/3m/3m, 3m/3m/3m	84x48x3mm
Type: MNPFHD-02	span width	eave height	ridge height	main frame size
	3m/4m/5m/6m/8m	2.6m	3m/3.2m/3.4m 3.6m/4.0m	84x48x3mm

>> Big awning room

The span size of the large awning house series ranges from 10 meters to 60 meters, divided into 6 models:BT model (span 10m~25m, pipe diameter 204x120x4mm), BTA model (span 10m~25m, pipe diameter 204x110x4mm), EBT model (span 200m~30m, pipe diameter 256x121x5mm), TH model (span 30m~40m, pipe diameter 300x120x5mm), LH model (span 30m~60m, pipe diameter 350x120x5mm), HH model (span 40m~60m, pipe diameter 400x170x7/10mm), same as the awning room. It is widely used in all kinds of outdoor temporary activities, as temporary or permanent building is a good choice.



>> Product features


- Super-large net span: 10m-60m, which can meet the needs of various activities
- Modular structure, short construction period, easy to assemble
- LOGO and patterns can be printed
- Various accessories are available
- Used for activities, indoor can pass the car
- Convenient transportation and installation



Optional accessories

>>huge tent

Type: DXPF-01	span width	eave height	ridge height	main frame size
	15m/18m/20m	4m	6.3m/6.88m/7.1m 7.25m/7.88m	204x120x4mm
	21m/25m	6m	8.3m/8.88m/9.1m 9.25m/9.88m	
Type: DXPF-02	span width	eave height	ridge height	main frame size
	20m/25m/30m	4m	7.2m/8.0m/8.9m/9.28m	256x121x5mm
		5m	8.2m/9.0m/9.9m/10.28m	
		6m	9.2m/10.0m/10.9m/11.28m	
Type: DXPF-03	span width	eave height	ridge height	main frame size
	30m/40m	4m	8.9m/10.5m	300x120x5mm
		5m	9.9m/14.5m	
		6m	41.9m/12.5m	
Type: DXPF-04	span width	eave height	ridge height	main frame size
	50m	6m	14m	350x120x5m
Type: DXPF-05	span width	eave height	ridge height	main frame size
	60m	6m	16.6m	400x170x7/10mm
Type: DXPF-06	span width	eave height	ridge height	main frame size
	10m/12m/ 15m/20m/ 21m/25m	3.88m	5.53m/5.83m 7.1m/7.25m 7.88m	204x120x4mm
Type: DXPF-07	span width	eave height	ridge height	main frame size
	10m/12m/ 15m/20m/ 21m/25m	3.88m	5.53m/5.83m 6.3m/7.1m 7.25m/7.88m	204x110x4mm
Type: DXPF-08	span width	eave height	ridge height	main frame size
	20m/25m 30m	3.88m	7.2m/8.0m 8.9m	256x121x5mm
Type: DXPF-09	span width	eave height	ridge height	main frame size
	30m/40m	3.88m	8.9m/10.5m	300x120x5mm
Type: DXPF-10	span width	eave height	ridge height	main frame size
	30m/40m 50m/60m	3.88m	8.9m/10.5m 12m/13.6m	350x120x5mm
Type: DXPF-11	span width	eave height	ridge height	main frame size
	40m/50m 55m/60m	3.88m	11.5m/13m 14.0m/14.6m	400x170x7/10mm



>> Bent column tent

The curved column awning room with its unique and beautiful appearance and as always high quality wins the favor of the broad domestic and foreign customers. USES the unit type combination design, the length can press the multiples of 5 meters to increase. The support material is made of high strength aluminum alloy, the tarpaulin is flame retardant double-sided PVC fiber cloth, and the curved column awning room is designed to be strong and durable, convenient to be disassembled and assembled, and small in storage and transport volume, which can be used as temporary or permanent building. Due to the high strength aluminum alloy curved column design and perfect tarpaulin tensioning system, the curved column awning room has higher wind resistance and snow carrying capacity.



>> Product features


- The traditional gabled awning room, the curved pillar awning room has a unique shape, more beautiful
- Interior space is 100% utilized
- Can be used as temporary or permanent construction
- Modular structure, short construction period
- Convenient storage and transportation and installation
- Higher wind resistance and snow carrying capacity
- Flexible movement and extension



>>Bent column tent



>>Optional accessories



Type: WZPF-01	span width	eave height	ridge height	main frame size
	15m/20m 25m	3.87m	8m/8.8m 9.9m	204x120x4mm
Type: WZPF-02	span width	eave height	ridge height	main frame size
	15m/20m 25m/30m	3.89m	7.8m/8.9m 10m/11.2m	256x121x5mm
Type: WZPF-03	span width	eave height	ridge height	main frame size
	20m/25m 30m/40m	3.89m	8.9m/10m/ 11.2m/13.5m	300x120x5mm

>>double - deck house tent


Product idea from Germany, tent with its unique and beautiful modelling for double win the favor of customers, double awning room there is a two layer structure awning room, double awning room design durable, has a higher ability to resist the wind KangXue awning room, double awning room and ordinary single awning room belong to the same unit modular awning room structure, increasing length according to multiples of 5 meters, tarpaulins for flame retardant double PVC fiber synthetic fabric, flame retardant standards comply with European standards.



>>Product features

- Modular design, short construction period, can be repeatedly disassembled and assembled, convenient storage and transportation
- Two floors, 200 percent utilization
- The overhang of the awning added advertising space
- Can be equipped with indoor/outdoor aluminum staircase, balcony
- Tension system, available with a full range of accessories

>>Optional accessories



Type: SCPFJD-01	span width 10m/15m/20m 25m/30m/40m	eave height 6.75m	The first layer 3.21m	main frame size 300x120x5mm
				

Type: SCPFJD-02	span width 150m/20m	eave height 6.75m	The first layer 3.21m	main frame size 300x120x5mm
				

>> Combination of two

The pointed awning room is usually assembled on the basis of the party awning room, the new party awning room, the wedding awning room, the activity awning room, the holiday awning room, the mixed pointed goods 1/2 polygon awning room unit, forms each kind of shape special combination awning room. The model is more chic, often used in luxurious outdoor activities. Advanced design, safe and stable, easy to disassemble and assemble, small storage and transportation volume. It is widely used in outdoor private parties, wedding parties, product promotion, sports events and other activities.



>> Product features


- Advanced design, safe and stable, easy to disassemble and assemble, small storage and transportation volume.
- For high-end outdoor activities
- The eye-catching peak shape is beautiful and unique
- Interior space is 100% utilized
- Can choose whole series of fittings
- Advanced design, safe and stable
- Flexible frame and polygon combination
- Wind resistance, aging resistance, flame retardant
- Cover tensioning system



>> Combination of two



>>Optional accessories



Type: ZHPF-01	span width	eave height	separation distance	main frame size	Type: ZHPF-04	span width	eave height	separation distance	main frame size
	6m/8m/9m 10m/12m	2.6m	3m	84x48x3mm		10m/12m 15m	3m	5m	166x88x3mm
Type: ZHPF-02	span width	eave height	separation distance	main frame size	Type: ZHPF-05	span width	eave height	separation distance	main frame size
	8m/9m 10m/12m	2.6m	5m	122x68x3mm		15m/20m 25m	3.88m	5m	204x120x4mm
Type: ZHPF-03	span width	eave height	separation distance	main frame size	Type: ZHPF-06	span width	eave height	separation distance	main frame size
	10m/12m/ 15m	3.3m	5m	152x119x3.5mm		30m/ 40m	5m	5m	300x120x5mm

>> Polygonal tent

Polygonal awning room has diamond top and pointed top two shapes, size specification from 6m to 50m, 1 hexagon to 22 side shape, can be used for party, wedding and grand banquet. It is also possible to combine a herringbone roof with a pointed roof to form a special composite roof. With high-strength aluminum alloy profile as structural support, the tent is made of double-sided flame retardant PVC synthetic fiber cloth, which has excellent properties of wind resistance, water resistance, flame retardant and uv resistance.



>> Product features

- Short construction period, easy to assemble and disassemble
- Can be used as temporary or permanent construction
- Elegant polygonal space with no extra interior
- Flexible and herringbone roof combined
- Durable, wind resistant and flame retardant.Uv radiation
- diamond top and herringbone top
- Small size, convenient transportation , easy installation



>> Polygonal tent

>> Hexagonal canopy tent

Type: DBPF-01	span width	eave height	ridge height	main frame size
	6m/8m 9m/10m	2.6m	5.18m/5.66m 5.83m/6.4m	100x48x3mm

Type: DBPF-02	span width	eave height	ridge height	main frame size
	10m/12m	2.6m	6.4m/6.8m	122x68x3mm


Type: DBPF-03	span width	eave height	ridge height	main frame size
	10m/12m	3m	6.8m/8.46m	166x88x3mm

>> Hexagonal tent

Type: DBPF-04	span width	eave height	ridge height	main frame size
	6m/8m 9m/10m	2.6m	3.71m/4.18m 4.24m/4.4m	100x48x3mm

Type: DBPF-05	span width	eave height	ridge height	main frame size
	10m/12m	2.6m	4.4m/4.78m	122x68x3mm

>> Optional accessories



>> Octagonal tent

Type: DBPF-06	span width	eave height	ridge height	main frame size
	15m	3.3m	5.62m	152x119x4mm

Type: DBPF-07	span width	eave height	ridge height	main frame size
	15m	3.3m	5.64m	166x88x3mm

Type: DBPF-08	span width	eave height	ridge height	main frame size
	15m	3.3m	6.3m/7.1m	204x120x4mm


>> Polygonal tent

>> decagon

Type: DBPF-09	span width	eave height	ridge height	main frame size
	16m	3.3m	5.72m	152x119x4mm
Type: DBPF-10	span width	eave height	ridge height	main frame size
	16m/20m	3.88m	7.8m/8.8m	204x120x4mm

Type: DBPF-11	span width	eave height	ridge height	main frame size
	16m/20m/25m	3.88m	5m/6.18m 7.72m	204x120x4mm

>> Optional accessories



>> A 12-sided awning room

Type: DBPF-12	span width	eave height	ridge height	main frame size
	30m	3.88m	8.8m	256x121x5mm

Type: DBPF-13	span width	eave height	ridge height	main frame size
	30m	3.88m	7.82m	300x120x5mm

>> A sixteen - sided tent

Type: DBPF-14	span width	eave height	ridge height	main frame size
	35m	3.88m	9.7m	256x121x5mm

Type: DBPF-15	span width	eave height	ridge height	main frame size
	35m	3.88m	9.7m	300x120x5mm

>> multi-side tent

The multi-arch cantilever is made of several aluminum alloy beams, forming a structure of near arch. There are 10 specifications and dimensions: 10m 12m, 15m, 18m, 25m, 25m, 40m, 50m, 60m, where the edge height of 10m-40m span is 4m, and the edge height of 50m - 60m span is 5m. The range of the multi-arch shelter is 5 meters, and the length can be extended indefinitely according to the multiple of 5 meters. With advanced design concept and solid structure, the multi-arch canopies are very suitable for large-scale storage, concert, high-end exhibition, party and other purposes.




>> Product features

- Elegant multi-sided appearance, high and wide interior space
- Modular structure, short construction period, easy to assemble
- Can be repeatedly disassembled and assembled, convenient transport
- Meet special design requirements




>> Optional accessories



Type: DGPF-01	span width	eave height	ridge height	main frame size
	10m/12m/15m 18m/20m/25m 30m/40m/50m 60m	4m	7.16m/7.4m/8.75m, 9.15m/9.42m/11.72m 13.2m/15.6m/16m 18m	(10-20m):204x120x4mm (25-30m):256x121x5mm (40m):300x120x5mm (50-60m):400x120x7mm

>>Sports awning room

Sports tent is divided into small, medium and large multi-function sports tent.In addition to the standard size range, we can also produce pre-processed multi-function sports events tent houses to meet customers' specific site requirements.No supporting pillars are required inside the covered house and the site is 100% used.There is no special requirement for the construction site of awning house, general flat ground such as grass, asphalt, cement, marble can be.The wind resistance of the tent house is up to level 8, and the good flame retardant, waterproof, sun protection and uv protection functions of the tent are up to international standards.



>>Product features

- Flexible growth and movement
- 100% use of interior space
- Easy to install on all kinds of ground
- Printable banner
- Can be site requirements, custom design



>>Optional accessories



Type: TYPF-01	span width(eave height	ridge height	main frame size
	10m	7m	8.65m	204x120x4mm

>> Hangar tent

The hangar canopy series is designed for use by aviation forces, civil aviation small aircraft as temporary or permanent hangars. The dimensions of the hangar awning room can be customized according to different aircraft sizes. The main feature is that the supports are designed according to the high strength level, equipped with air model thermal insulation tarpaulin, large-span flexible lifting door and heat insulation sandwich steel plate wall, forming a unique hangar awning room. The awning room is strong and durable in design, can be repeatedly disassembled and assembled, and the transportation volume is small. It is the best choice for aircraft hangar in aviation army, civil aviation and other industries.




>> Product features

- Short construction period, easy to assemble and disassemble
- 100% use of interior space
- Can be used as temporary or permanent construction
- Durable, wind resistant and flame retardant to European standards
- Large size automatic rolling gate system
- Unlimited extension and repeated disassembly



>> Optional accessories



Type: JKPF-01	span width	eave height	ridge height	main frame size
	20m	6m	5m	350x120x5m

>> Stop hood

The support material is hot-dip galvanized tube, and the cover material is such a net cloth.

Product features: suitable for large outdoor parking shed, which can be used for fixed or semi-permanent building purposes, and also for families, communities, companies, government units as parking purposes.



>> Product features

- Short construction period, easy to assemble and disassemble
- Small size, convenient transportation
- easy installation
- The roof has tarpaulins of different materials and colors
- No large machinery is required




>> Optional accessories



type: TCPF-01	span width	eave height	ridge height	main frame size
	5.5m	2.4m	3.3m	120x120x4mm
type: TCPF-02	span width	eave height	ridge height	main frame size
	11m	2.4m	3.3m	120x120x4mm

>>Successful cases1



● China resources (China source) drug distribution summit



● Toyota motor show



● Wedding one-stop service tent suppliers



● Beijing Wangfujing WMF brand association



● Trade fairs for small and medium enterprises



● Enterprise project exchange meeting

>>Successful cases2



● A large warehouse



● Shenzhen stadium expo



● Sanya leisure resort



● Beijing social exchange party



● Honda motor show



● Shopping day

>>Successful cases3



● Roewe car conference



● Awning for leisure plaza



● Mercedes Benz service station



● Commercial exchange center



● Wedding service



● Shanghai business square